



P: 1300 688 522
 E: info@nutripath.com.au
 A: PO Box 442 Ashburton VIC 3142

COMPLETE MICROBIOME MAPPING-(GI -MAP)

General Macroscopic Description

	Result	Range	Markers
Stool Colour	Brown		Colour - Brown is the colour of normal stool. Other colours may indicate abnormal GIT conditions.
Stool Form	Formed		Form -A formed stool is considered normal. Variations to this may indicate abnormal GIT conditions.
Mucous	NEG	< +	Mucous - Mucous production may indicate the presence of an infection, inflammation or malignancy.
Blood (Macro)	NEG	< +	Blood (Macro) - The presence of blood in the stool may indicate possible GIT ulcer, and must always be investigated immediately.

GIT Functional Markers

	Result	Range	Units	
Calprotectin.	20.0	0.0 - 173	ug/g	
Pancreatic Elastase	366.0	> 200.0	ug/g	
Faecal Secretory IgA	309.0 *L	510.0 - 2010.0	ug/g	
Faecal Zonulin	91.0	0.0 - 107.0	ug/g	
Faecal B-Glucuronidase	1479.0	337.0 - 4433.0	u/g	
Anti-gliadin IgA	69.00	0.0 -157.00	U/L	
Steatocrit	<dl	<15%		

Microbiome Mapping Summary

Parasites & Worms

Bacteria & Viruses

Pseudomonas species
 Pseudomonas aeruginosa.
 Klebsiella species
 Klebsiella pneumoniae.

Fungi and Yeasts

Key Phyla Microbiota

Bacteroidetes	11.4	8.6 - 33.1	x10 ¹¹ org/g	
Firmicutes	15.2	5.7 - 30.4	x10 ¹⁰ org/g	
Firmicutes:Bacteroidetes Ratio	0.2	< 1.0	RATIO	



TEST PATIENT

TEST DOCTOR



TEST PATIENT INFORMATION

TEST INFORMATION

P: 1300 688 522
 E: info@nutripath.com.au
 A: PO Box 442 Ashburton VIC 3142

Parasites and Worms. Result Range Units

Parasitic Organisms

Cryptosporidium.	<dl	< 1.0	x10 ⁶ org/g	
Entamoeba histolytica.	<dl	< 1.0	x10 ⁴ org/g	
Giardia lamblia.	<dl	< 5.0	x10 ³ org/g	
Blastocystis hominis.	<dl	< 2.0	x10 ³ org/g	
Dientamoeba fragilis.	<dl	< 1.0	x10 ⁵ org/g	
Entamoeba coli.	<dl	< 5.0	x10 ⁶ org/g	
Endolimax nana	<dl	< 1.0	x10 ⁴ org/g	
Pentatrichomonas hominis	<dl	< 1.0	x10 ² org/g	

Worms

Ancylostoma duodenale, Roundworm	Not Detected
Ascaris lumbricoides, Roundworm	Not Detected
Necator americanus, Hookworm	Not Detected
Trichuris trichiura, Whipworm	Not Detected
Taenia species, Tapeworm	Not Detected

Comment: Not Detected results indicate the absence of detectable DNA in this sample for the worms reported.

Opportunistic Bacteria/Overgr Result Range Units

Bacillus species.	0.5	< 1.0	x10 ⁵ org/g	
Enterococcus faecalis	<dl	< 1.0	x10 ⁴ org/g	
Enterococcus faecium	0.3	< 1.0	x10 ⁴ org/g	
Morganella species	<dl	< 1.0	x10 ³ org/g	
Pseudomonas species	1.3 *H	< 1.0	x10 ⁴ org/g	
Pseudomonas aeruginosa.	38.2 *H	< 5.0	x10 ² org/g	
Staphylococcus species	<dl	< 1.0	x10 ⁴ org/g	
Staphylococcus aureus	0.1	< 5.0	x10 ² org/g	
Streptococcus species	0.4	< 1.0	x10 ³ org/g	

Potential Autoimmune Triggers

Citrobacter species.	<dl	< 5.0	x10 ⁵ org/g	
Citrobacter freundii.	<dl	< 5.0	x10 ⁵ org/g	
Klebsiella species	48.7 *H	< 5.0	x10 ³ org/g	
Klebsiella pneumoniae.	19.1 *H	< 5.0	x10 ⁴ org/g	
Prevotella copri	<dl	< 1.0	x10 ⁷ org/g	
Proteus species	2.2	< 5.0	x10 ⁴ org/g	
Proteus mirabilis.	0.3	< 1.0	x10 ³ org/g	

Fungi & Yeast Result Range Units

Candida species.	<dl	< 5.0	x10 ³ org/g	
Candida albicans.	<dl	< 5.0	x10 ² org/g	
Geotrichum species.	<dl	< 3.0	x10 ² org/g	
Microsporidium species	<dl	< 5.0	x10 ³ org/g	
Rhodotorula species.	<dl	< 1.0	x10 ³ org/g	

TEST PATIENT

TEST DOCTOR



TEST PATIENT INFORMATION

TEST INFORMATION

P: 1300 688 522
 E: info@nutripath.com.au
 A: PO Box 442 Ashburton VIC 3142

Bacterial Pathogens	Result	Range	Units	
Campylobacter.	<dl	< 1.0	x10 ³ CFU/g	
C. difficile, Toxin A	<dl	< 1.0	x10 ³ CFU/g	
C. difficile, Toxin B	<dl	< 1.0	x10 ³ CFU/g	
Enterohemorrhagic E. coli	<dl	< 1.0	x10 ³ CFU/g	
E. coli O157	<dl	< 1.0	x10 ² CFU/g	
Enteroinvasive E. coli/Shigella	<dl	< 1.0	x10 ³ CFU/g	
Enterotoxigenic E. coli LT/ST	<dl	< 1.0	x10 ³ CFU/g	
Shiga-like Toxin E. coli stx1	<dl	< 1.0	x10 ³ CFU/g	
Shiga-like Toxin E. coli stx2	<dl	< 1.0	x10 ³ CFU/g	
Salmonella.	<dl	< 1.0	x10 ⁴ CFU/g	
Vibrio cholerae	<dl	< 1.0	x10 ⁵ CFU/g	
Yersinia enterocolitica.	<dl	< 1.0	x10 ⁵ CFU/g	
Helicobacter pylori	<dl	< 1.0	x10 ³ CFU/g	

Comment: Helico Pylori virulence factors will be listed below if detected POSITIVE

H.pylori Virulence Factor, babA	Not Detected
H.pylori Virulence Factor, cagA	Not Detected
H.pylori Virulence Factor, dupA	Not Detected
H.pylori Virulence Factor, iceA	Not Detected
H.pylori Virulence Factor, oipA	Not Detected
H.pylori Virulence Factor, vacA	Not Detected
H.pylori Virulence Factor, virB	Not Detected
H.pylori Virulence Factor, virD	Not Detected

Viral Pathogens	Result	Range	Units	
Adenovirus 40/41	<dl	< 1.0	x10 ¹⁰ CFU/g	
Norovirus GI/II	<dl	< 1.0	x10 ⁷ CFU/g	

Normal Bacterial GUT Flora	Result	Range	Units	
Bacteroides fragilis	3.1	1.6 - 25.0	x10 ⁹ CFU/g	
Bifidobacterium species	64.0	> 6.7	x10 ⁷ CFU/g	
Enterococcus species	13.0	1.9 - 2000.0	x10 ⁵ CFU/g	
Escherichia species	160.0	3.7 - 38000	x10 ⁶ CFU/g	
Lactobacillus species	54.0	8.6 - 6200.0	x10 ⁵ CFU/g	
Clostridium species	580.0	1.2 - 1000.0	x10 ³ CFU/g	
Enterobacter species	143.0 *H	1.0 - 50.0	x10 ⁶ CFU/g	